

Canary care sheet

Lifespan: 6-12 years

Length: 14cm (adult)

Origin: Australia

Behaviour: Macaronesian Islands

Canaries are lively birds (chirp and love to bath and sing). During summer molting, singing may decrease or stop in canaries

Cage size: Minimum of 13" length 11" width. 16" height

Diet: Mixture of Canary seed, crumbles, fresh fruit and vegetable, calcium blocks

Talking ability: Can whistle and sing

What you need to house your Budgie:

- Cage (bigger the better)
- Shell grit
- Canary seed
- Vetafarm mini pellets and or crumbles
- Sulfa aid
- Wormer, Mite & lice spray
- Cage cleaner
- Perches (different sizes and materials)
- Food and water bowl
- Calcium bell, Cuttlebone
- Toys
- Cage cover (to cover at night)
- Cage tidy (to stop seed falling onto the floor)
- Bird baths

Diet:

Your canaries diet is extremely important and is the key to a healthy bird along with exercise. Canaries need variety in their diet, seed alone is not a complete balanced diet. It is essential for your bird's health that they be fed a combination of seed, pellets (Mini Vetafarm-Nutriblend), fruit and vegetables. Most seeds are very high in fat and when given the choice birds will select seeds with the highest fat content over the ones with lower fat content. Canaries may also enjoy small amounts of yoghurt (low fat) boiled egg, chicken, fish or beef.

WHAT TO FEED:

Canary seed, pellets (Vetafarm - canary crumbles and Nutriblend mini pellets)

Vegetables:

Sprouts, Spinach, Turnip Greens, Swiss chard, Mustard Greens, Broccoli, Escarole, Chicory, Tomatoes, Beet Greens, Bok Choy, Grated Carrots, Collard greens, Corn on the Cob, Endive, Kale, Yams, Yams. Pumpkin and Sweet Potato can also be added however they are better when they are cooked).

Fruits:

Cantaloupe, Apricots, Nectarines, Papayas, Peaches Apples, Bananas, Grapes, Oranges. Make sure your Canary does not have any seeds from fruits, some can be very dangerous, like Cherry pits as they may contain trace amounts of cyanide.

Protein and Meat:

It's OK for your Canary to eat chicken, fish or beef, again we are talking here very small amounts. Other sources of protein and cooked eggs (hard boiled or scrambled), yogurt, cottage cheese and peanuts.

WHAT NOT TO FEED:

Salty foods, processed sugar, rhubarb, greasy foods, Mangos, Avocado, chocolate, fruit seeds/pips, dried beans (always cook or fully sprout first), alcohol, caffeine, garlic, onion, tobacco, cabbage, raw potato, asparagus, eggplant, milk, cream, sugar and high fat treats.

Fresh water should be supplied each morning, make sure the dish is well scrubbed to remove slime or faecal matter.

Housing

Canaries are mostly a "hands-off" pet as they can become frightened and stressed when taken out of their enclosure. Many canaries are happy being alone in their cage without a companion. In the wild they are solitary birds and do not live in a flock. Pairs get together for the breeding season only. But canaries are still very sociable and bond with their owners. The daily feeding routine and talking to the bird each time you pass the cage is important. For this reason the bigger the cage the better, your canary should be able to flap its wings without the risks of causing injury. Keep an eye on the spacing between the bars as you wouldn't want to risk your bird's head getting stuck or them getting out. Give your bird different sized perches throughout the enclosure to exercise their feet and help prevent arthritis (avoid using sand perches as these can be too rough for a canaries feet). Leafy native Australian tree branches, grasses & greenery should be put into the cage for behavioural enrichment and beak care. Check your canary's nails regularly and trim using appropriate nail clippers if necessary. These can be natural branches from your backyard, make sure that they are cleaned using hot water and a sponge to remove bacteria, sap or droppings from wild birds. Perches should be at least 5" long and 1-2" in diameter. A calcium or pumice perch should also be supplied to keep your birds nails and beak trim. Different types of birds should **not** be housed together. Remember to keep your Canary in a draft free safe area, preferably where the family is located so he feels like it is part of the family. Cover your bird at night (especially in winter) with a towel or blanket to stop drafts and to reduce stress to the bird. Clean and disinfect the habitat and perches regularly (every week), replace substrate or habitat liner twice weekly or more often as needed. Replace perches, dishes, and toys when worn or damaged. Rotate new toys into the habitat regularly to provide mental stimulation and to prevent your bird from becoming bored/lonely or depressed. Ensure that there are no habitat parts or toys with lead, zinc or lead-based paints or galvanized parts as these can cause serious medical issues if ingested by your bird. Birds

tend to lick their cage, toys and just about everything and anything kept in their enclosure. For this reason it is important that a natural cleaning product be used when cleaning occurs. Be sure to reduce the amount of chemicals used throughout the house (flea bombs, moxitein sprays etc) as these fumes can be harmful.

When considering appropriate toys for your feathered pal, try and choose colourful (we can see all colours and are particularly fond of bright ones), shiny and textured toys as this will mentally stimulate your bird's mind and keep him happy whilst you go about your everyday life.

Recommended toys-

- Natural wood toys (these are particularly great for gnawing the beak and nails down)
- Toys with beads, rope and chain
- Colourful block toys
- Swings (we love to swing all day long)
- Shiny bells
- Mirrors
- Bird bath (canaries love bathing, providing an extra bird bath will give your canary loads of enjoyment)

Treatments

Sulfa Aid- Sulfa Aid bird medication is for the control and treatment of caecal coccidiosis and enteritis in cage birds. Bird cage should be thoroughly cleaned daily to avoid re-infestation if this occurs. Sulfa Aid should be added to the water when new birds are purchased, introduced to aviaries or after heavy rain.

Mite and Lice spray- Your feathered friend should be treated with mite & lice spray every 3 months as prevention. If you are "treating" for mite and lice they should be treated twice a day for up to 14 days. The enclosure should also be regularly cleaned (remove all bedding every 2 days to remove eggs and larvae of the mite and lice). Keep a close eye on your "birdy's" skin during this time. If symptoms persist visit an animal care facility or a vet.

Signs of mite and lice are:

Excess scratching, redness and feather loss may occur. If symptoms persist visit an animal care facility or a vet.

Wormer: Your bird should be treated with a wormer treatment every 3 months as a preventative as well as a treatment.

Signs of worms: The common signs are weight loss, diarrhoea and loss of appetite. Treat your bird if you notice these symptoms or every 3 months. If symptoms persist visit an animal care facility or a vet.

Remember to monitor your bird's health regularly as birds can be very good at hiding sickness or disease. Watch out for puffy feathers, being inactive, sleeping a lot, not their usual chirpy self. If signs of illness occur contact your local avian Vet for advice.

